Mr. Robert Oblak Vice-President, Operations American Louver Company 7700 North Austin Skokie, Illinois 60077

RE: Site Inspection for American Lower Company ILD048311054

Dear Mr. Oblak:

This letter is to advise you that the United States Environmental Protection Agency (U.S. EPA) intends to conduct a site inspection of the above referenced site during the week of January 28, 1985. Such an inspection will be conducted under the statutory authority of the Comprehensive Environmental Response, Compensation and Liability Act of 1980, (CERCLA), which is found at Section 104 of that statute, 42 U.S.C. 9604. That provision permits the U.S. EPA or its authorized representative to enter any establishment where "hazardous substances have been generated, stored, treated, or disposed of or transported from." In addition, the CERCLA authority allows the U.S. EPA to collect samples of any hazardous substance or from any container during the inspection. In the event that your firm believes certain information collected during the inspection is entitled to confidential treatment by the U.S. EPA, you may assert a claim of confidentiality in accordance with 40 Code of Federal Regulations Part 2, Subpart B.

Ecology and Environment (E&E) is a U.S. EPA contractor which has been duly authorized by the Agency to conduct inspections under the authority of CERCLA on behalf of the U.S. EPA. A representative of E&E will be contacting you in the near future to set a specific time within the week specified above for doing the inspection and sampling. The site inspection will be performed to determine the impact or potential impact on the environment of any hazardous wastes which may exist in an uncontrolled manner at the site. A site inspection is subsequently reflected in a report (EPA Form 2070-13), a copy of which may be requested by contacting this office. The site inspection report provides a basis for determining if any further action is required at the site. Screening via a site inspection is part of the process for identifying those uncontrolled hazardous waste sites to be included on the National Priorities List, thereby making Superfund monies available for site cleanup.

In the meantime, if you have any questions regarding this matter, please contact Dr. Denald Josif, of my staff, at (312) 886-0393.

Very truly yours,

Richard E. Bartelt, Chief Emergency and Remedial Response Branch

cc: Terry Ayers, IEPA
Rene Van Someren, E&E



8303-01F #293





ecology and environment, inc.

223 WEST JACKSON BLVD., CHICAGO, ILLINOIS 60606, TEL. 312-663-9415

International Specialists in the Environmental Sciences

1980 Census Figures

3 mile radius

Morton Grove 100% of 23747

Niles 80% of 30363 Z4Z90

Lincolnwood 100% of 11921 x2 Z384Z

Stokie 80% of 60278 x2 96445

* Chicago

5953 = 28.27 168324

people/sq mi radius

* area covered by Chicago = area covered by skolice & uncollished & double that figure

3mi 168,324 people 2mi 74,808 people 1mi 18,702 people

This assumes uniform population density.




Fig. 14 - Topographic map of the bedrock surface (after Suter et al., 1959).

approximate depth to Bedrock @ American Lower in Skokie

site elev. 625 - 550 = 75'

 $\sqrt{5_{gw}^2 + 5_{gw}} = 5_{w} =$

		3	57	limate				
	Groun	od Wa	ate	r Route Work Shee	t			
Rating Factor	,	Assigned Value Multi (Circle One) plier					Max. Score	Ref. (Section)
Observed Release	0			45	1		45	3.1
If observed release If observed release	-							-
Route Characteristic Depth to Aquifer o Concern	_	1	2		2		6	3.2
Net Precipitation Permeability of the	0	-	2 2	3 3	1		3 3	
Unsaturated Zone Physical State	0	1	2	3	1		3	
	Total Rou	ite Cl	har	acteristics Score			15	
3 Containment	0	1	2	3	1		3	3.3
Waste Characteristics Toxicity/Persistence Hazardous Waste Ouantity				9 12 15 18 3 4 5 6 7 8	1		18	3.4
	Total Was	te Ci	nar	acteristics Score			26	
5 Targets Ground Water Use Distance to Neares Well/Population Served	0 0 12 24		2 6 18 32	3 8 10 20 35 40	3		9 40	3.5
-	Tot	al Ta		ets Score			49	
6 If line 1 is 45, mu If line 1 is 0, mult	Itiply 1 x 4		5]	x 5			57.330	
7 Divide line 6 by 57	7,330 and multipl	y by	10	0 9	Sgw=			

FIGURE 2
GROUND WATER ROUTE WORK SHEET

			Surfac	e V	Vate	r Ro	ute V	Vork St	eet				
	Rating Factor		Assigned Value (Circle One)						Multi- plier	Score	Max. Score	Ref. (Section)	
0	Observed Release	8	0				45			1		45	4.1
	If observed releas												
Route Characteristics Facility Stope and Intervening Terrain 1-yr. 24-hr. Rainfall Distance to Nearest Surface Water			ng O	1	2	3				1		3	4.2
			0 9 0	1	2	3 3				1 2		3 6	
	Physical State		0	1	2	3				1		3	
Total Route Characteristics Score											15	·	
3	Containment		0	1	2	3				1		3	4.3
Waste Characteristics							-		18	4.4			
		To	otal Was	te C	Cha	racte	ristic	s Score)			26	_
5	Targets Surface Water U Distance to a Se Environment	0	1			3 3	•		3 2		9 6	4.5	
	Population Serve to Water Intake Downstream	ed/Distanc e	} 12 24	4 16 30	1	8 2	8 1 0 5 4	o o		1		40	-
			Tot	al T	arg	ets S	core					5 5	
6 If line 1 is 45, multiply 1 x 4 x 5 If line 1 is 0, multiply 2 x 3 x 4 x 5											£4,35 0		
7	Divide line 6 by	64,350 and	f multipl	y b	y 10	00			s	sw =			

FIGURE 7
SURFACE WATER ROUTE WORK SHEET